



Egyptian Company For Hotel Supplies

EGYTL

Egyptian Company For Hotel Supplies

EGYTL

Tel. Fax: +202 33 44 85 48 Mobile : +2 0111 33 444 15 - 0111 33 440 37 - 0111 33 440 38

E-mail: s_egytl@yahoo.com / e_gytel@yahoo.com

Website: www.egytl.com

WWW.EGYTL.COM

IT'S NOT JUST COOKING



Company Target & Goal:

Lead the Hotel / Kitchen equipments supply in the market through providing the most fitting and well established universal brands with reasonable prices.

Company Vision :

To provide high quality Kitchen products, followed by an excellent customer care.

Philosophy of business: Yes We Care

Our customers always come first

We are solo agents and distributors for many leading European companies that produce Kitchen, bakery, pastry & laundry equipments.

We bring in the highest quality products and spare parts into the market.

We manufacture all kinds of equipments such as refrigerators, cookers, tables, sinks, shelves, hoods...etc., all made of high quality stainless (304 or 316).

We also have a special department for designing all kitchen, bakery and laundry equipments along with all their installation networks, hoping to achieve your highly level of expectations looking for further cooperation with you in the future.

After Sales Support:

We perform a highly and efficient level of customer service

We provide all spare parts for our products.



C150



CB 1565



CB 640



TM 140



RB 100



DRB 100



BIN 550VDS



DRB 500



DRB 1200



BIN 240 PE



Slush Machine



CB 640

BRUSHLESS BLENDER



VM 500

ICE CRUSHER



VM 1700



CB 955



CB 425



CB 184



coffee machine 2 groups



coffee machine 2groups



coffee machine 1group



coffee machine 3groups



ComBi-line
Bulk Brewers

ANIMO® Coffee & Tea Bulk Brewers®



Saeco Lirika Plus



ComBi-line with hot water tap
Bulk Brewers



coffee machine 2groups



coffee machine 2groups



coffee machine 3groups



coffee machine 3groups



milk shake



grinder



orange juce



**coffee machine
2groups**



ICE CRUSHER



OPTIFRESH 3 NG



Saeco Lirika OTC



Dish Washers



Glass Washer



Convection oven



KROMO
EXCELLENCE IN DISHWASHING

CIME
MACCHINE ESPRESSO ITALIANE

ANIMO

BEZZERA
MACCHINE PER CAFFE' ESPRESSO DAL 1961

lamber

DIHR

Saeco

SANTOS

**COMPACT
BRUSHLESS BLENDER**



DRINK MIXER



CONTACT GRILL LARGE



**"CLASSIC"
CITRUS JUICER**



**COLD PRESS
JUICER NUTRISANTOS**



**CLASSIC
SANDWICH TOASTER**



juice dispenser



ice cream refrigerator



Display Fridge



ice cream refrigerator



Refrigerator Display



Cunter Refrieratos



ice maker



CONVEYOR OVEN



DOUBLE PIZZA OVEN



CONVEYOR TOASTER



Salamander



Salamander



ice crusher



**"JUICE EXTRACTOR"
"MIRACLE EDITION"**



MEFRA CITRUS JUICER



KITCHEN BLENDER



BAR BLENDER



BAR BLENDER



MILANTOAST
Power for good food

DIHR

SANTOS

VEGETABLE WASHERS



VEGETABLE PROCESSOR



POTATO PEELER



BLENDERS



VEGETABLE PREPARATION MACHINES



mixer



CUTTER



Sink Unit



robot coupe



Lilma
LA SCIENZA DELLE GRANDI CUCINE

GAM
international



Electric Meat Slicer



HAMBURGER MACHINE



SAUSAGE FILLERS



CUTTER



MEAT MINCER



BONE SAWS

Refrigerated counters



MASTERCOOL



DeckBake




Convection Oven



RotorBake



BAKE OFF
ITALIANA



SPIRAL MIXERS



ROLLING MACHINES



Pizza refrigerated counter



CONVEYOR OVENS



ELECTRIC OVENS



GAS OVENS



Pizza OVENS



Moretti Forni pizza oven



BENCH SLICER



DIVIDER



Planetary mixers



SPIRAL MIXERS



PUFF-PASTRY SHEETER



REFRIGERATED



Rotor ovens with burner



Pellet Rotor ovens



Baker OVENS



SIGMA
Bakery Pastry Pizza equipment

MASTERCOOL

LASERWELD
Bakery and Pastry Equipment Division

Tiorini

**FREEZING OR COOLING
REFRIGERATOR**



**Freezing OR Cooling
Refrigerator**



Refrigerator Display



Refrigerator Display



Refrigerator Display



Refrigerator Display



Refrigerator Display



Counter Refrigerator



Refrigerator Display



Counter Refrigerator



Fish Display Fridge



Display Fridge



Meat Display Fridge



Cooling OR Freezing Room



Display Fridge



Egyptian Company For Hotel Supplies

EGYTL



MASTERCool 

Refrigerator Display

Multi Deck Refrigerator



Refrigerator Display



**Polar G-Series
Refrigerated Buffet Bar**



salad refrigerator



Display Fridge



Display Fridge



Multi Deck Refrigerator



Refrigerator Display



**Freezing OR Cooling
Refrigerator**



**Freezing OR Cooling
Refrigerator**



Dish Washers

Tray washer

Dish Washers



Conveyor Dish Washers

Glass Washer



CHARGRILLS



BAIN - MARIE



CHARGRILLS



FRYERS



CHARGRILLS



FRYERS



Basta Cookers



FRYERS



Basta Cookers



FRYERS

FRYERS



BAIN - MARIE



BRTT- PANS



ERY TOP



CHARGRILLS



CONVECTION OVEN



COUNTER REFRIGERATORS



CONVECTION OVEN



BAIN - MARIE



ELECTRIC RANGE



GAS RANGE



ELECTRIC RANGE



FRYERS



FLY TOP



CHARGRILLS



BOILING PAN



GAS RANGE



GAS RANGE



GAS RANGE



ELECTRIC RANGE



ELECTRIC RANGE



ELECTRIC RANGE



ELECTRIC RANGE



ELECTRIC RANGE



ELECTRIC RANGE



ELECTRIC RANGE



washing machines and dryers



**Form finishers
and trouser topper**



automatic pressing



utility press machine



washing machines



**Professional washing
machine**



ironing of flat linen



Flatwork drying ironers: fast and efficient



الشويبات السطحية ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ بتخانة القرصة ١,٥ مم. تخانة قرص الشوى ٢٠ مم من الحديد.
انواع سطح الشوى: املس, مضلع او (٢/٢ املس و ٢/١ مضلع) العديد من الموديلات على استناد مفتوح او مغلق.
متوفر بموديلات تحكم غاز او كهرباء.

Griddle 90 and 70

stainless steel construction ,worktop made in aisi 304 stainless steel , 1.5 mm thickness.
cooking plate thickness of 20 mm
cooking plate types smooth ,grooved or (2/3 & 1/3)models
Available on open stand or cupboard
Gas and electric versions are available



الشويبات فحم حجرى ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ بتخانة القرصة ١,٥ مم. كل منطقة طهى ذات شعلات مستقلة.
حوض لتجميع الفحم الحجرى.

Lava Stone Chargrill 90 and 70

stainless steel construction ,worktop made in aisi 304 stainless steel , 1.5 mm thickness.
Differnt cooking options by means of independent burners
cookMild black steel pan for lava stone



طاهى الباستا ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ بتخانة القرصة ١,٥ مم.
سعة الحوض : ٤٠ لتر
متوفرة بموديلات تحكم غاز او كهرباء.



Pasta cooker 90 and 70

stainless steel construction ,worktop tank made in aisi 304 stainless steel , 1.5 mm thickness.
Each tank capacity : 40 liters
Gas and electric veresions are available



قلايات التحمير العميق ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ بتخانة القرصة ١,٥ مم. القرص وأحواض الزيت من س/س ٣٠٤
كل حوض مزود بمنطقة باردة للحفاظ على جودة الزيت.
سعات مختلفة : ٩ لتر , ١٨ لتر , ٢٢ لتر . متوفر بموديلات تحكم غاز وكهرباء .

Fryer 90 and 70

stainless steel construction ,worktop made in aisi 304 stainless steel , 1.5 mm thickness
Deep cold zone to maintain oil quality
Different tank capacities : 9 liters < 18 liters and 22 liters
Gas and electric veresions are available

Line 90&70



الحلة البخارية ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ تخانة القرصة ١,٥ مم .
الحلة من الاستانليس استيل ٣٠٤ والقاع من الاستانليس استيل ٣٠٤ سعات مختلفة : ١٠٠ لتر و ١٥٠ لتر .
التسخين المباشر والغير مباشر بالغاز او الكهرباء .

Boiling pan 90 and 70

stainless steel construction ,worktop made in aisi 304 stainless steel , 1.5 mm thickness

Aisi 304 pan with bottom

Differnt capacities :100 liters and 150 liters

Available in electric, gas direct or indirect gas versions

الحلة القلابة ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ تخانة القرصة ١,٥ مم .
الحلة تخانة ٢ مم والقاع تخانة ١٠ مم من س/س ٣٠٤ سعات مختلفة : ٨٠ لتر و ١٢٠ لتر .
متوفر بموديلات تحكم غاز وكهرباء .



Tiling Pan 90 and 70

stainless steel construction ,worktop made in aisi 304 stainless steel , 1.5 mm thickness

Pan 2mm and bottom 10 mm thickness are made of Aisi 304

Differnt capacities :80 liters and 120 liters

gas and electric versions are available



الموقد الغاز ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ تخانة القرصة ١,٥ مم .
مزود بالاشعال الذاتي الكهربائي وجهاز امان ضد انطفاء الشعلة .
العديد من الموديلات على استاند مفتوح او مغلق , بفرن وكابينة حفظ محايدة او بفرن كبير (ماكس)
متوافر موديلات ٢,٤,٦ شعلة

Gas Range 90 and 70

stainless steel construction ,worktop made in aisi 304

stainless steel , 1.5 mm thickness

Piezo-electric burner ignition and safety flame failure device

Available on open stand , cupboard ,oven with cupboard, or maxi oven

2,4and 6 burners models are available

الموقد الكهربائي ٩٠ و ٧٠ :

الجهاز مصنوع من س/س ٣٠٤ تخانة القرصة ١,٥ مم .
متوافر موديلات ٢,٤,٦ بلاطة
العديد من الموديلات على استاند مفتوح او مغلق , بفرن وكابينة حفظ محايدة او بفرن كبير (ماكس).

Electric cooker 90 and 70

stainless steel construction ,worktop made in aisi 304 stainless steel , 1.5 mm thickness

Hot plates square 30x30 cm of 3 kw and/or 4 Kw

Available on open stand , cupboard ,oven with cupboard, or maxi oven





Up Right Refrigerators

internal cabinet made of Aisi304 stainless steel
insulation gauge 60 mm with density 40 KG/m³
700liters versions: 1 blind or glass door ,2 half doors
1400liters versions: 2 blind or glass doors 4 half doors
working temperature : -2/+10 C ; -18/-22 C
Automatic defrost and evaporation of condensation water
Self closing reversible doors with magnetic gasket
4GN 2/1 plastic coated grids and key lock per door
internal light and adjustable feet height to reach 205 cm

الثلاجات الرأسية

الكابينة الداخلية مصنوعة من استانليس استيل ٣٠٤
تخانة العزل ٦٠ ملم بكثافة ٤٠ كجم/متر مكعب
موديلات ٧٠٠ لتر: ١ باب استانليس استيل او زجاجي , ٢ باب نصفي .
موديلات ١٤٠٠: ٢ باب س/س او زجاج , ٤ باب نصفي .
درجات الحرارة :- ٢ / + ١٠ م للتبريد - ١٨ / - ٢٢ م للتجميد.
اذابة الثلج والتبخير لمياة التكثيف تلقائي.
الابواب اغلاق ذاتي مع جوان مغناطيسي لكل باب .
كل باب مزود بعدد ٤ رف مقاس GN ١/٢ مغلفة بالبلاستيك وقفل بمفتاح.
الارتفاع قابل للضغط حتى ٢٠٥ سم .



Counter Refrigerators

worktop and internal cabinet made of AISI 304 stainless steel
insulation gauge 60 mm with density 40 KG/m³
700mm depth, 1 or 2 or 3 blind or glass doors
working temperature : 0/+10 C ; -18/-22 C
Automatic defrost and condensation water to drain
Beverage and ice-cream specific counters
Self closing reversible doors with magnetic gasket Tropical class +34C
1 perforated shelf size GN 1/1 per door



الثلاجات الأفقية

القرصة العلوية والكابينة الداخلية مصنوعة من س/س ٣٠٤
تخانة العزل ٦٠ ملم بكثافة ٤٠ كجم/متر مكعب
العمق ٧٠ سم , ١ او ٢ او ٣ باب س/س او زجاج .
درجات الحرارة :- ٠ / + ١٠ م للتبريد - ١٨ / - ٢٢ م للتجميد.
اذابة الثلج تلقائي ومياة التكثيف يتم توصيلها بالصرف.
متوفر موديلات خاصة لحفظ المشروبات والاييس كريم.
الابواب اغلاق ذاتي مع جيوان مغناطيسي لكل باب .
درجة الحرارة الخارجية للتشغيل : + ٤٣ م .
كل باب مزود بعدد ١ رف مقاس GN ١/١ استانليس مخروم.



Original Spare parts



. Coffee machine

. Cooking equipment

. Refrigeration


. Ovens

. Ice cream machine

. Washing equipment

. Bar equipment

. Food processing equipment





1-DISPLAY WINDOW

Meat room with pvc window shows the internal product This room come with hinged door and sliding door upon request

2-CURTAIN

**It is fixed on the door hole to decrease the infiltration while opening the door
The pvc curtain is the standard The air curtain is available upon request**



3-MEGA

**Stainless steel from internal side only With hinged door
PPGI sheet white color 9016 from exterior and stainless steel panel from interior. With hinged door or sliding door upon request. MEGA-HD and MEGA-SD**


4-STAINLESS STAND

Stainless steel is available for hotels to widen the storage space for the soft products. The dimensions are variable upon the request of the client



5-VISTA PRO

**Special room with hinged door and multiply displays windows
Panel is stainless steel from interior and exterior sides
A ceiling mounted or wall mounted Monoblock unit
Is available for this type. It gives a wide storage space for the products**




1-FIBER FLOOR

The insulated floor consists of (10 cm injected polyurethane with 16 mm wood from internal side covered with fiber glass layer

2-THE CONNECTION BETWEEN ROOF :AND WALL



**The roof sit on 5 cm of the wall which give strength to the roof. safe for walking on it
The upper line between the roof and the wall is injected with polyurethane after installation and covered with angel sheet with the same color of the panel**



3-THE CORNER (C2

S econd type of corner suitable to panel (80-100-120mm)

**It gives a perfect insulation of the corner and
aluminum angle fixing the panel at the corner and give it strength. PVC coving profile (RAL9010) is covering the aluminum angle**



Prequalification



سابقة الأعمال